

TEST REPORT

Applicant name and

address

SHENZHEN GROWATT NEW ENERGY TECHNOLOGY CO., LTD

1st East & 3rd Floor of Building A, Building B, Jiayu Industrial Park, #28, GuangHui Road, LongTeng Community, Shiyan Street, Baoan District,

Shenzhen, P.R.China

Manufacture name and

address

SHENZHEN GROWATT NEW ENERGY TECHNOLOGY CO., LTD

1st East & 3rd Floor of Building A, Building B, Jiayu Industrial Park, #28, GuangHui Road, LongTeng Community, Shiyan Street, Baoan District,

Shenzhen, P.R.China

Report No

160706126GZU-001

Issue Date :

28 Jul 2016

Total Pages

17

Sample Description

Name of Sample

Grid-connected PV inverter

Model Number

GROWATT 5500MTL-S

Sample Condition

Prototype

Quantity of Sample(s)

1 pc

Date of Receival

6 Jul 2016

Date of test Conducted

14 Jul 2016 - 24 Jul 2016

Test

Test Requested

Power efficiency, loss measurement, Test A: clod, Test B: Dry heat, Test N:

change of temperature, Test Db: Damp heat, cyclic

Test Method

Refer to IEC 60068-2-1:2007, IEC 60068-2-2:2007, IEC60068-2-14:2009,

IEC60068-2-30:2005, IEC61683:1999

Test Conclusion:

Refer to test result

Other information

. __

Remark

• This test report is only for evaluation of the specified standard clauses

listed in *Test Requested*.

• When determine the test result, measurement uncertainty has been

considered.

****** End of page *************

Tested by:

Jason Fu

Project Engineer

Approved by:

Tommy Zhong

Assistant Technical Manager

The test results reported in this test report shall refer only to the sample actually tested and shall not refer or be deemed to refer to bulk from which such a sample may be said to have been obtained.

This report shall not be reproduced except in full without prior authorization from Intertek Testing Services Shenzhen Ltd. Guangzhou GDD Branch The services are provided subject to the terms and condition of the company, which can be furnished upon request.

Page 1 of 17

Intertek Testing Services Shenzhen Ltd. Guangzhou Branch



TEST REPORT

Note:

- 1. This report does not imply the compliance of all requirements of above standards. It is only partial checking according to above standards.
- 2. This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program. The test report only allows to be revised only within the report defined retention period unless standard or regulation was withdrawn or invalid.
- 3. When determining of test conclusion, measurement uncertainty of test has been considered.

Electrical Rating:

Input: 70V-550Vdc, Max. 15A/15A, Full load MPPT range: 175-500Vdc

Output: 230Vac, 50Hz, 5000VA, 21.8A

Class I, IP 65

GROWATT PV Grid Inverter				
Model Name	Growatt 5500MTL-S			
Certificate Number	SAA150836			
U DC max	550V			
DC max	15A/15A			
U DC range	70V-550V			
V AC norm	230V			
f AC narm	50Hz			
S AC nam	5000VA			
AC nam	21.8A			
Power Factor	0.8leading-0.95laging			
Protection Degree	IP65			
Protection Class	Class I			
Operation Ambient Temperature	-25°C~+60°C			
A\$ 4777	IEC62109			
 SAA N136	CE			

****** End of Page *****



TEST REPORT

Test Results:

<u>Clause</u>	Title/ Description	<u>Pass</u>	<u>Fail</u>	<u>N.A.</u>	Comment ¹
IEC 61683: 1999 (Cl.6)	Power efficiency	✓			
IEC 61683: 1999 (Cl.7)	Loss measurement	✓			
IEC 60068-2-1:2007 (Cl. 5.2)	Test A: Cold	✓			
IEC 60068-2-2:2007 (Cl. 5.2)	Test B: Dry heat	✓			
IEC 60068-2-14:2009 (Cl. 7)	Test N: Change of temperature	√			
IEC 60068-2-30:2005 (Cl. 7)	Test Db: Damp heat, cyclic	√			

Remark:

1.	f there is special attention or condition needed to be pointed out, it can be written down in the column o	f
	comment".	



TEST REPORT

Test Results:

IEC 61683: 1999 Power efficiency

a) Test condition: Rated input voltage: 175.0 Vdc, Resistive load:

1 Test condition. Nated input voltage. 175.0 vac, Nesistive load.						
Power level	10%	25%	50%	75%	100%	120%
Input voltage (V)	174.851	175.032	175.26	175.502	175.580	
Input current (A)	2.988	7.473	14.573	22.290	29.650	
Input power (kW)	0.5224	1.308	2.554	3.912	5.206	
Output voltage (V)	230.732	230.852	230.960	230.968	230.851	
Output current (A)	2.137	5.445	10.621	16.201	21.451	
Output power (kW)	0.493	1.257	2.453	3.742	4.952	
Efficiency (%)	94.367	96.100	96.045	95.655	95.121	
Power factor	0.9548	0.9902	0.9943	0.9973	0.9984	

b) Test condition: Rated input voltage: 370.0 Vdc, Resistive load:

7 Tool oonalion. Rate	a inpat voitage	5. 07 0.0 V ao, i	toolouvo load.			
Power level	10%	25%	50%	75%	100%	120%
Input voltage (V)	365.415	365.093	365.022	364.825	364.610	
Input current (A)	1.383	3.586	7.167	10.777	14.332	
Input power (kW)	0.505	1.309	2.615	3.824	5.220	
Output voltage (V)	230.789	230.944	230.894	230.854	230.889	
Output current (A)	2.177	5.544	11.019	16.044	21.790	
Output power (kW)	0.486	1.273	2.539	3.703	5.024	
Efficiency (%)	96.238	97.250	97.094	96.836	96.245	
Power factor	0.9685	0.9944	0.9983	0.9986	0.9989	

c) Test condition: Rated input voltage: 500.0 Vdc, Resistive load:

Power level	10%	25%	50%	75%	100%	120%
Input voltage (V)	491.547	498.285	497.456	497.870	502.157	
Input current (A)	1.025	2.624	5.229	7.793	10.387	
Input power (kW)	0.504	1.307	2.601	3.879	5.208	
Output voltage (V)	230.791	230.953	230.923	230.905	230.968	
Output current (A)	2.249	5.571	10.996	16.334	21.823	
Output power (kW)	0.481	1.268	2.524	3.754	5.016	
Efficiency (%)	95.436	97.016	97.040	96.777	96.313	
Power factor	0.9273	0.9857	0.9942	0.9954	0.9952	

Tel: 86 20 82139688 Fax: 86 20 32057538 www.intertek-etlsemko.com



TEST REPORT

Test Results:

IEC 61683: 1999 Power efficiency

7 Loss measurement

7,1 No-load loss

a) manufacturer's minimum rated input voltage: 175.0Vdc

Input voltage	Input current	Input power W1	Output voltage	Frequency (Hz)	Output power
(V)	(mA)	(W)	(V)		W2 (W)
176.244	34.450	6.073			0

b) the inverter's nominal voltage or average of its rated input range: 370.0Vdc

Input voltage	Input current	Input power W1	Output voltage	Frequency (Hz)	Output power
(V)	(mA)	(W)	(V)		W2 (W)
370.865	20.006	7.420			0

c) 90% of the inverter's maximum input voltage: 500.0Vdc

Input voltage	Input current	Input power W1	Output voltage	Frequency (Hz)	Output power
(V)	(mA)	(W)	(V)		W2 (W)
502.590	16.625	8.356			0

7.2 Standby loss

Input voltage (V)	Input power W1 (W)	Output voltage (V)	Frequency (Hz)	Output current (A)	Output power W2 (W)
		230.567	50	0.1448	0.017



TEST REPORT

Test Results:

IEC 60068-2-1: 2007 Test A: Cold

Clause 5.2 Test Ab: Cold for non heat-dissipating specimens with gradual change of temperature

The specimen is introduced into the chamber which is at the temperature of the laboratory. The temperature is then adjusted to the temperature appropriate to the degree of severity, as specified in the relevant specification. After temperature stability of the test specimen has been reached, the specimen is exposed to these conditions for the specified duration. For specimens that are required to be operational (even though they do not meet the requirements of being heat dissipating), power shall then be applied to the specimen and a functional test is performed as necessary. A further period of stabilization may be necessary and the specimen shall then be exposed to the low temperature conditions for a duration as specified in the relevant specification. Specimens under test are normally in non-operating conditions.

Specimens under test are normally in non-operating conditions.

Test condition:

Test Temperature : -15[°]C Test Duration : 16h

Test result:

After the test, the specimens can operation normally.

IEC 60068-2-2: 2007 Test B: Dry heat

Clause 5.2 Test Bb: Dry heat for non heat-dissipating specimens with gradual change of temperature

The specimen is introduced into the chamber, which is at the temperature of the laboratory. The temperature is then adjusted to the temperature appropriate to the degree of severity as specified in the relevant specification. After temperature stability of the test specimen has been reached, the specimen is exposed to these conditions for the specified duration. For specimens that are required to be operational (even though they do not meet the requirements of being heat dissipating) power shall then be applied to the specimen and a functional test is performed as necessary. A further period of stabilization may be necessary and the specimen shall then be exposed to the high temperature conditions for a duration as specified in the relevant specification. Specimens under test are normally in non-operating conditions.

Test condition:

Test Temperature : +60 °C Test Duration : 16h

Test result:

After the test, the specimens can operation normally.

Page 6 of 17
Intertek Testing Services Shenzhen Ltd. Guangzhou Branch



TEST REPORT

Test Results:

IEC 60068-2-14: 2009 Test N: Change of temperature

Clause 7 Test Na: Rapid change of temperature with prescribed time of transfer


The severity of the test is defined by the combination of the two temperatures, the transfer time, the exposure time of the specimen and the number of cycles.

The lower temperature, T_A , shall be specified in the relevant specification and should be chosen from the test temperatures of IEC 60068-2-1 and IEC 60068-2-2.

The higher temperature, T_B , shall be specified in the relevant specification and should be chosen from the test temperatures of IEC 60068-2-1 and IEC 60068-2-2.

The exposure time, t_1 , of each of the two temperatures depends upon the heat capacity of the specimen. It may be 3 h, 2 h, 1 h, 30 min or 10 min, or as specified in the relevant specification. Where no exposure period is specified in the relevant specification, it is understood to be 3 h.

The preferred number of test cycles is five, unless otherwise specified in the relevant specification.



Key

A start of first cycle

B end of first cycle and start of second cycle

NOTE The dotted curve is explained above.

Figure 2 - Na test cycle

Test condition:

Low temperature T_A : -15 $^{\circ}$ C High temperature T_B : +60 $^{\circ}$ C Duration of exposure time t_1 : 3h Duration of transfer time t_2 : 3min

Number of cycles: 5 Recovery: 2h

Test result:

Initial measurements: Input: 388Vdc; 13.415A; 5.207kW Output: 230Vac; 21.747A; 5.013kW; 50Hz Final measurements: Input: 388Vdc; 13.266A; 5.143kW Output: 230Vac; 21.526A; 4.962kW; 50Hz

After the test, the specimens can operation normally.

Page 7 of 17 Intertek Testing Services Shenzhen Ltd. Guangzhou Branch

Block E, No.7-2 Guang Dong Software Science Park, Caipin Road, Guangzhou Science City, GETDD, Guangzhou, China. 510663



TEST REPORT

Test Results:

IEC 60068-2-30: 2005 Test Db: Damp heat, cyclic

Clause 7 Test Na: Rapid change of temperature with prescribed time of transfer

Variant 2 (see Figure 2b)

The temperature shall be lowered to 25 $^{\circ}$ C \pm 3 K within 3 h to 6 h, but without the additional requirement for the first hour and one half as in variant 1. The relative humidity shall be not less than 80 $^{\circ}$ RH.





Figure 2b - Test Db - Test cycle - Variant 2





TEST REPORT

Test Results:

Test condition:

Test Db, variant 2, b-cycle
The humidity level shall be 95 % ± 5 %
A minimum number of 3 cycles
Lower temperature: 25°C
Upper temperature: 40°C

Test result:

Initial measurements: Input: 388Vdc; 13.418A; 5.208kW Final measurements: Input: 388Vdc; 13.356A; 5.157kW	Output: 230Vac; 21.752A; 5.014kW, 50Hz Output: 230Vac, 21.543A, 4.966kW, 50Hz
After the test, the specimens can operation normally.	
**************************************	f Page************************************




TEST REPORT

Appendix 1: Photo document



Top view of the unit




Side view of the unit (with the heat-sink for model GROWATT 5500MTL-S)





Back view of the unit (with the heat-sink for model GROWATT 5500MTL-S)



Side view of the unit (with the heat-sink 1 for other than model GROWATT 5500MTL-S)





Internal view of the unit




Internal view of the unit






Internal view of the unit




Front view of the power board






Back view of the power board




Front view of display board





Back view of the display board




Front view of control board





Back view of the display board




Internal view of the unit





Connection interface of the unit



Earthing of the unit

End of Report *